



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,507	10/31/2003	Robert H. Wollenberg	T-6298D (538-63)	3586

7590 05/26/2005

Michael E. Carmen, Esq.
DILWORTH & BARRESE, LLP
333 Earle Ovington Blvd.
Uniondale, NY 11553

EXAMINER

WALLENHORST, MAUREEN

ART UNIT	PAPER NUMBER
----------	--------------

1743

DATE MAILED: 05/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

11/11/04

Office Action Summary	Application No.	Applicant(s)	
	10/699,507	WOLLENBERG ET AL.	
	Examiner	Art Unit	
	Maureen M. Wallenhorst	1743	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-45 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-45 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>4/19/04</u> . | 6) <input type="checkbox"/> Other: ____ |

AD

Art Unit: 1743

1. The disclosure is objected to because of the following informalities: On page 17, line 9 of the specification, Applicants are requested to insert the serial number and filing date of the U.S. patent application referred to. On lines 1-2 of claim 40, the phrase "said means for receptacle moving means" should be changed to —said receptacle moving means—in order to make proper sense.

Appropriate correction is required.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 1-3, 6-7, 9, 11-12, 14-15, 19-20, 22-23, 26-27, 29, 31-32, 34-35 and 38-45

provisionally rejected under the judicially created doctrine of obviousness-type double patenting

Art Unit: 1743

as being unpatentable over claims 1, 3-9, 15-19 and 24-30 of copending Application No.

10/779,422. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims recite a method and system for screening lubricating oil composition samples under program control by providing a plurality of different lubricating oil composition samples, each sample containing a major amount of a base oil and a minor amount of a lubricating oil additive, measuring the storage stability of the samples and outputting the results. Since the claims of the instant application recite that the storage stability of the samples can be measured by determining the amount of sediment that forms in each sample after a predetermined time, this is equivalent to the measurement of deposit formation recited in the claims of application serial no. 10/779,422.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

5. Claims 1-2, 13-18, 20-22 and 33-38 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 20 and 22-30 of copending Application No. 10/699,529. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims recite a method for producing and screening lubricating oil additive compositions comprising the steps of providing a plurality of lubricating oil additive compositions, each containing a major amount of a base oil of lubricating viscosity and a minor amount of an oil additive, measuring composition property data such as the storage stability of the samples, and outputting the results.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Art Unit: 1743

6. Claims 1-2, 13-17, 20, 22, 34-37, 39-42 and 44-45 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 3, 10-18 and 22-23 of copending Application No. 10/699,508. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims recite a method and system for screening lubricating oil composition samples under program control by providing a plurality of different lubricating oil composition samples, each sample containing a major amount of a base oil and a minor amount of a lubricating oil additive, measuring stability properties of the samples and outputting the results. It would have been obvious to one of ordinary skill in the art to either measure the storage stability or the oxidation stability of the composition samples in the screening method since both equivalently can indicate the usefulness and performance characteristics of the samples for their intended use as lubricants.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

7. Claims 1-2, 20, 22, 39, 41 and 44 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 13, 19-22 and 33-35 of copending Application No. 10/699,509. Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claims recite a method and system for screening lubricating oil composition samples under program control by providing a plurality of different lubricating oil composition samples, each sample containing a major amount of a base oil and a minor amount of a lubricating oil additive, measuring stability properties of the samples and outputting the results. It would have been obvious to one of

Art Unit: 1743

ordinary skill in the art to either measure the storage stability or the wear stability of the composition samples in the screening method since both equivalently can indicate the usefulness and performance characteristics of the samples for their intended use as lubricants.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. Claims 39-42 are rejected under 35 U.S.C. 102(e) as being anticipated by Kolosov et al. (US 2004/0123650).

Kolosov et al teach of a high throughput testing method and apparatus for the screening of a library of material samples. The method and apparatus involve combinatorial chemistry that refers to the synthesis of a collection of diverse materials, and the screening of the materials for desirable performance characteristics and properties. The combinatorial approach can effectively evaluate much larger numbers of diverse compounds in a much shorter period of time. The apparatus taught by Kolosov et al includes a plurality of samples supported in wells on a substrate. Kolosov et al teach that the invention can be used to screen libraries of any flowable material that may be a commercial product itself or may be a portion of a commercial product. Exemplary commercial products that can be tested with the apparatus taught by Kolosov et al include lubricants and oils. The invention can be used to analyze the resulting

Art Unit: 1743

properties of a particular flowing material, and to analyze the relative or comparative effects that an additive has upon a particular flowable material. Additives in a flowable material to be tested include a detergent, a flow modifier, etc. See paragraph nos. 0042-0043 in Kolosov et al. The screening for the effects of different additives upon the characteristics of a flowing material is performed by measuring various properties of the material samples present in the wells on the substrate. Properties measured include the viscosity, the density, the thermal degradation, the aging characteristics, the chemical composition and the agglomeration or sedimentation of the material samples. See paragraph no. 0065 in Kolosov et al. Once the characterizing properties of the samples are determined, the results may be mathematically combined in various combinations to provide figures of merit for the properties of interest. See paragraph no. 0066 in Kolosov et al. The sample size of each sample in the wells on the substrate is typically no greater than about 20 ml, more preferably no greater than about 5 ml, and most preferred, no greater than about 0.5 ml. See paragraph no. 0054 in Kolosov et al. To form an array of samples on the substrate, Kolosov et al teach that the samples and additives are dispensed into the wells with any suitable dispensing apparatus (i.e. an automated micropipette or capillary dispenser). The dispensing apparatus may have a heated tip, thus providing heating of the samples. Each sample is dispensed to an individually addressable region in the substrate. See paragraph no. 0053 in Kolosov et al. The plurality of samples can vary in number depending upon the intended use of the method, and the plurality of samples can form a library. A library comprises an array of two or more different samples spatially separated on a common substrate. Candidate samples within a library may differ in a definable and predefined way, such as in chemical structure, processing, mixtures of interacting components, the relative amounts of the components, the presence of

Art Unit: 1743

additives and other reactant materials, etc. The samples are spatially separated on the substrate such that an array of samples is separately addressable for characterization thereof. The two or more samples can reside in separate containers formed as wells in a surface of a substrate or can be simply dispensed onto a common planar substrate. See paragraph no. 0057 in Kolosov et al. The apparatus taught by Kolosov et al comprises a stimulus generator 12 that applies power to a probe 14 for applying a stimulus to one or more samples 16 in the array or library of samples. The apparatus also includes a sensor or transducer 20 for monitoring a response of one or more of the samples 16 to the stimulus. The transducer 20 and the stimulus generator 12 are both in communication with a computer sub-system 23 such as a microprocessor or other computer for manipulating data. The computer sub-system 23 may be employed to receive and store data such as responses of samples 16, material properties of samples, etc. Additionally, the computer sub-system may be employed to command other components of the system such as the stimulus generator and the dispensing means, as well as to correlate responses of samples 16 to their respective material properties. See paragraph nos. 0067-0068 in Kolosov et al. The probe 14 may be translated, rotated, reciprocated or oscillated within the samples so as to mix the samples and subject them to different forces. See paragraph no. 0070 in Kolosov et al. For contacting the probe 14 and dispensing means with the samples 16, the samples may be moved relative to the probe 14, or alternatively, the probe 14 may be moved relative to the samples 16. Combinations of these motions may also occur serially or simultaneously. An automated system may be used to move the one or more probes and the dispensing means serially or simultaneously to the various samples of a library. A suitable automated system is a robotic system such as an XYZ robot arm that has a multiple axis range of motion such as in the orthogonal X, Y, and Z

Art Unit: 1743

coordinate axes system. This automated system is part of or in communication with the computer sub-system 23. See paragraph nos. 0073-0074 in Kolosov et al. Kolosov et al also teach that a plurality of control samples having known material properties are also monitored in the libraries along with the samples so that the responses of the samples can be compared with the known material properties of the controls. The responses of the samples in the library can be related to the known material properties by a mathematical relationship.

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

12. Claims 1-9, 18-29, 38 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kolosov et al in view of both O'Rear (US 2003/0100453) and Tolvanen et al (US Patent no. 5,715,046). For a teaching of Kolosov et al, see previous paragraphs in this Office action.

Kolosov et al fail to teach that the lubricants containing additives therein in the combinatorial array can be screened for storage stability by optically measuring the formation of sediments in each of the samples.

O'Rear teaches that the stability of compositions containing lubricant base oils with and without additives therein can be measured by determining the formation of floc or sediment in the samples during storage at a high temperature for a predetermined time. Stability testing is performed by placing a lubricant oil composition in a heated container, and periodically inspecting the composition for an increase in color or the formation of sediment. See paragraph nos. 0011 and 0034 in O'Rear. Tolvanen et al further teach that the stability of lubricating oil compositions can be determined by measuring the intensity of light scattering from the oil sample surface. The light scattering measurement serves to detect agglomerated particles in the sample. See lines 1-4 and 52-65 in column 2 of Tolvanen et al.

Based upon a combination of Kolosov et al, O'Rear and Tolvanen et al, it would have been obvious to one of ordinary skill in the art at the time of the instant invention to screen the lubricant/additive compositions in the combinatorial array taught by Kolosov et al for storage stability by optically measuring the formation of sediments in each of the samples since Kolosov et al teach that the plurality of samples in the array are screened for various material characteristics, and both O'Rear and Tolvanen et al teach that it is common to screen lubricating oil compositions for their storage stability based upon the amount of sediment that forms in the samples over a predetermined time period at a certain temperature. It also would have been obvious to one of ordinary skill in the art to use optical light scattering as a means for measuring sediment formation in the plurality of lubricating oil compositions present in the array of Kolosov et al since Tolvanen et al teach that the measurement of light scatter in an oil sample can be efficiently used to measure the stability of the oil sample by detecting agglomerated particles therein.

Art Unit: 1743

13. Claims 10-13, 30-33 and 44-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kolosov et al in view of both O'Rear and Tolvanen et al as applied to claims 1-9, 18-29, 38 and 43 above, and further in view of Garr et al. For a teaching of Kolosov et al, O'Rear and Tolvanen et al, see previous paragraphs in this Office action. Kolosov et al fail to teach that each of the individual test containers that hold the lubricant samples have a bar code attached thereto.

Garr et al teach that it is common in a combinatorial library of reaction products arranged in an array to have each individual reaction container identified by a unique code such as a bar code, which is optically readable. The code can also be stored in the memory of a digital signal processor on a database. See lines 3-10 in column 4 of Garr et al.

Based upon the combination of Kolosov et al, O'Rear, Tolvanen et al and Garr et al, it would have been obvious to one of ordinary skill in the art at the time of the instant invention to label each of the individual test containers in the combinatorial array taught by Kolosov et al with a bar code since Garr et al teach that it is common in the combinatorial library art to uniquely label individual members of the library with a bar code so as to be able to identify and distinguish the samples and their unique characteristics from one another.

14. Claims 14-17 and 34-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kolosov et al in view of both O'Rear and Tolvanen et al, as applied to claims 1-9, 18-29, 38 and 43 above, and further in view of Smrcka et al (EP 1,233,361). For a teaching of Kolosov et al, O'Rear and Tolvanen et al, see previous paragraphs in this Office action. Kolosov et al fail to teach that the results of testing the plurality of lubricating oil compositions can be stored in a data carrier or transmitted to a remote location.

Art Unit: 1743

Smrcka et al teach of a system and method for managing information pertaining to new product development. The method comprises the steps of testing a new chemical product, and storing the results in a data carrier such as a computer readable medium. All the data obtained through testing of a chemical product is stored in a central database. Remote access to the database is available globally from any personal computer having suitable client software installed and suitable network connectivity. See paragraph nos. 0011 and 0038 in Smrcka et al.

Based upon the combination of Kolosov et al, O'Rear, Tolvanen et al and Smrcka et al, it would have been obvious to one of ordinary skill in the art to store the results of testing the plurality of lubricating oil compositions taught by Kolosov et al in a data carrier that is available from a remote access site since Smrcka et al teach that it is advantageous to store the results of testing for products being newly developed on a computer readable data carrier that is available from a remote access site in order to share and disseminate the information concerning the new product to anyone in the world researching that product.

15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Please make note of: Saul et al (WO 95/13538) and O'Rear et al (WO 02/07870) who teach of methods using combinatorial chemistry for synthesizing and screening a plurality of compounds.

Art Unit: 1743

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maureen M. Wallenhorst whose telephone number is 571-272-1266. The examiner can normally be reached on Monday-Wednesday from 6:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden, can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maureen M. Wallenhorst
Primary Examiner
Art Unit 1743

mmw

May 16, 2005

Maureen M. Wallenhorst
MAUREEN M. WALLENHORST
PRIMARY EXAMINER
GROUP 100, 1700